Page: 1 Printed: 06/24/2016 Revision: 06/24/2016

Supersedes Revision: 05/09/2016

1. PRODUCT AND COMPANY IDENTIFICATION

Goof Off Ink & Marker Remover **Product Name:**

W. M. Barr **Company Name: Phone Number:**

2105 Channel Avenue (901)775-0100

Memphis, TN 38113

Web site address: www.wmbarr.com

3E 24 Hour Emergency Contact (800)451-8346 **Emergency Contact:** Information: W.M. Barr Customer Service (800)398-3892

Intended Use: Mult-Purpose Remover for tar, ink, paint, adhesive, etc.

Product Code: FG811

Additional Information This product is regulated by the United States Consumer Product Safety Commission

> and is subject to certain labeling requirements under the Federal Hazardous Substances Act. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS). The product label also includes other important information, including directions for use, and should always be read in its entirety prior to

using the product.

2. HAZARDS IDENTIFICATION

Serious Eye Damage/Eye Irritation, Category 2A Specific Target Organ Toxicity (single exposure), Category 3



GHS Signal Word: Warning

GHS Hazard Phrases: H319: Causes serious eye irritation.

H335: May cause respiratory irritation.

GHS Precaution Phrases: P261: Avoid breathing gas/mist/vapors/spray.

P264: Wash hands thoroughly after handling.

P271: Use only outdoors or in a well-ventilated area.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

GHS Response Phrases: P304+340: IF INHALED: Remove victim to fresh air and keep at rest in a position

comfortable for breathing.

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.


P312: Call a POISON CENTER or doctor/physician if you feel unwell. P337+313: If eye irritation persists, get medical advice/attention.

GHS Storage and Disposal P403+233: Store container tightly closed in well-ventilated place. Phrases: P405: Store locked up.

P501: Dispose of contents/container according to local, state and federal regulations.

Hazard Rating System: HEALTH **FLAMMABILITY** 0 0

PPE Х



HMIS:

This material is classified as hazardous under OSHA regulations. **OSHA Regulatory Status:**

Page: 2 Printed: 06/24/2016 Revision: 06/24/2016

Supersedes Revision: 05/09/2016

Potential Health Effects (Acute and Chronic):

This material has not been tested as a whole for health effects. Effects listed are those of the individually listed ingredients in this sds.

Eyes:

May cause irritation. May cause moderate corneal injury. Effects may include discomfort or pain, and redness. Effects may be slow to heal.

Skin:

Brief contact may cause slight skin irritation with local redness and pain. Prolonged and/or repeated contact may cause defatting of the skin and dermatitis. May be harmful if absorbed through the skin.

Inhalation:

When used as directed, the consumer is not expected to experience any exposure effects. Excessive exposure may cause irritation to the upper respiratory tract. Symptoms may include a headache, dizziness, or nausea.

Ingestion:

Harmful if swallowed. May cause severe gastrointestinal tract irritation with nausea, vomiting, diarrhea, and possible burns.

Potassium causes a slow, weak pulse, irregularities in heart rhythm, heart block and eventual fall in blood pressure.

Chronic Effects: Prolonged or repeated skin contact may cause dermatitis.

Target Organs: Skin, Eyes

Medical Conditions Generally Dermatitis Aggravated By Exposure:

3. COMPOSITION/INFORMATION ON INGREDIENTS

CAS#		Hazardous Components (Chemical Name)	Concentration	RTECS#		
	100-51-6	Benzenemethanol {Benzyl alcohol}	<10.0 %	DN3150000		
	112-34-5	Diethylene glycol monobutyl ether {2-(2-Butoxyethoxy)ethanol {(a glycol ether)}	< 5.0 %	KJ9100000		
	770-35-4	Propylene glycol phenyl ether {(not 313)}	< 5.0 %	UB8886500		
	143-18-0	Oleic acid potassium salt	< 5.0 %	RK1150000		

Additional Chemical

Specific percentage of composition is being withheld as a trade secret.

Information

Page: 3
Printed: 06/24/2016
Revision: 06/24/2016
Supersedes Revision: 05/09/2016

4. FIRST AID MEASURES

Emergency and First Aid

Procedures:

Skin:

Remove contaminated clothing. Immediately wash skin thoroughly with large amounts of

water and mild soap, if available. Seek medical attention if irritation develops or

persists.

Eyes:

Immediately begin to flush eyes with water, remove any contact lens. Continue to flush

the eyes for at least 15 minutes. Seek medical attention.

Inhalation:

Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult,

give oxygen. Get immediate medical attention.

Ingestion:

If swallowed, do NOT induce vomiting. Seek immediate medical attention. Call a physician or poison control center immediately. Never give anything by mouth to an

unconscious person.

Signs and Symptoms Of

Exposure:

See Potential Health Effects.

5. FIRE FIGHTING MEASURES

Not flammable or combustible

Flash Pt: No data.

Explosive Limits: LEL: none UEL: none

Autoignition Pt: No data.

Suitable Extinguishing Media: Non-combustible liquid - use extinguishing media for underlying cause of fire.

Unsuitable Extinguishing

None known.

Media:

Fire Fighting Instructions: Material should not burn.

Flammable Properties and

No data available.

Hazards:

6. ACCIDENTAL RELEASE MEASURES

Steps To Be Taken In Case

Material Is Released Or

Spilled:

Wash area with soap and water.

7. HANDLING AND STORAGE

Precautions To Be Taken in

Handling:

Avoid contact with eyes, skin, and clothing. Wash thoroughly after handling. A source of clean water should be kept in the immediate work area for flushing of the eyes and skin.

Follow all SDS/label precautions even after container is emptied because they may

retain product residues.

Precautions To Be Taken in

Storing:

Keep containers closed when not in use. Store in a cool, dry place, out of direct sunlight.

Licensed to W.M. Barr and Company: MIRS MSDS, (c) A V Systems, Inc.

GHS format

Page: 4 Printed: 06/24/2016 Revision: 06/24/2016

Supersedes Revision: 05/09/2016

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CAS# Other Limits **Partial Chemical Name OSHA TWA ACGIH TWA** No data. No data. No data. 100-51-6 Benzenemethanol {Benzyl alcohol} No data. No data. No data. 112-34-5 Diethylene glycol monobutyl ether {2-(2-Butoxyethoxy)ethanol {(a glycol ether)} Propylene glycol phenyl ether {(not 770-35-4 No data. No data. No data. 313)} No data. No data. No data. 143-18-0 Oleic acid potassium salt

Respiratory Equipment

(Specify Type):

When used by the consumer following directions for use and with adequate ventilation,

respiratory protection is not expected to be needed.

Where contact with the eyes or face is likely from spraying or splashing, safety glasses **Eye Protection:**

and a faceshield or chemical goggles should be worn to prevent eye contact.

When used as directed, protective gloves should not be required. For prolonged or Protective Gloves:

repeated contact, wear gloves with as much resistance to the chemical ingredients as possible. Glove materials such as natural rubber or nitrile rubber provide protection. Glove selection should be based on chemicals being used and conditions of use.

Consult your glove supplier for additional information.

Other Protective Clothing: No data available.

Engineering Controls

(Ventilation etc.):

Ventilation is normally not required when handling or using this product to keep exposure

to airborne contaminants below the exposure limit.

Good general ventilation should be sufficient to control airborne levels.

Work/Hygienic/Maintenance

Practices:

Wash hands thoroughly after use and before eating, drinking, or smoking. Do not eat,

drink, or smoke in the work area. Discard any clothing or other protective equipment that

cannot be decontaminated.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical States: [] Gas [X] Liquid [] Solid Appearance and Odor: Appearance: Clear Straw-colored

Melting Point: No data. **Boiling Point:** > 99.90 FAutoignition Pt: No data. Flash Pt: No data.

Explosive Limits: LEL: none UEL: none

Specific Gravity (Water = 1): .9938 - 1.0138 Density: 8 - 9 LB/GL No data.

Vapor Pressure (vs. Air or

mm Hg):

Vapor Density (vs. Air = 1):

< 1 (BuAC=1) **Evaporation Rate:** Solubility in Water: No data.

Licensed to W.M. Barr and Company: MIRS MSDS, (c) A V Systems, Inc.

GHS format

Page: 5
Printed: 06/24/2016
Revision: 06/24/2016

Supersedes Revision: 05/09/2016

Viscosity: 159 KS at 100.0 F

pH: 8 - 8.5

Percent Volatile: 91.333 % by weight.

VOC / Volume: 0.0200 % WT

Additional Physical VOC Category & Limit

Information CARB/OTC

Spot Remover - Nonaerosol

VOC Limit 3.0 wt%

No Flash to Boil

10. STABILITY AND REACTIVITY

Stability: Unstable [] Stable [X]

Conditions To Avoid - None known.

Instability:

Incompatibility - Materials To Strong oxidizers and acids.

Avoid:

Hazardous Decomposition or Carbon monoxide, carbon dioxide, sulfur dioxide and oxides of sulfur.

Byproducts:

Possibility of Hazardous Will occur [] Will not occur [X]

Reactions:

Conditions To Avoid - None known.

Hazardous Reactions:

11. TOXICOLOGICAL INFORMATION

Toxicological Information: This product has not been tested as a whole. Refer to section 2 for acute and chronic

effects.

CAS# 112-34-5:

Chronic Toxicological

Standard Draize Test, Eyes, Species: Rabbit, 20.00 MG, Severe.

Effects: Result:

Behavioral: Anticonvulsant.

- American Journal of Ophthalmology., Ophthalmic Pub. Co., 435 N. Michigan Ave.,

Suite 1415, Chicago, IL 60611, Vol/p/yr: 29,1363, 1946

C	AS#	Hazardous Components (Chemical Name)	NTP	IARC	ACGIH	OSHA
	100-51-6	Benzenemethanol {Benzyl alcohol}	n.a.	n.a.	n.a.	n.a.
	112-34-5	Diethylene glycol monobutyl ether {2-(2-Butoxyethoxy)ethanol {(a glycol ether)}	n.a.	n.a.	n.a.	n.a.
	770-35-4	Propylene glycol phenyl ether {(not 313)}	n.a.	n.a.	n.a.	n.a.
	143-18-0	Oleic acid potassium salt	n.a.	n.a.	n.a.	n.a.

Page: 6
Printed: 06/24/2016
Revision: 06/24/2016
Supersedes Revision: 05/09/2016

Superseues Revision

12. ECOLOGICAL INFORMATION

General Ecological

Information:

Not determined for this product as a whole.

13. DISPOSAL CONSIDERATIONS

Waste Disposal Method: Dispose of in accordance with all applicable local, state, and federal regulations. Do not

dump into sewers or allow to enter waterways.

14. TRANSPORT INFORMATION

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: Not regulated by D.O.T.

DOT Hazard Class: UN/NA Number:

Additional Transport

Information:

15. REGULATORY INFORMATION

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists						
CAS # Hazardous Components (Chemica		al Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)	
100-51-6	Benzenemethanol {Benzyl alcohol}			No	No	No
112-34-5 Diethylene glycol monobutyl ether {2-(2-Butoxyethoxy)ethanol {(a glycolor)			ol ether)}	No	No	Yes-Cat. N230
			313)}	No	No	No
143-18-0	Oleic acid potass	ium salt		No	No	No
This material meets the EPA [X] Yes [] No 'Hazard Categories' defined [X] Yes [] No for SARA Title III Sections [] Yes [X] No [] Yes [X] No [] Yes [X] No			Fire Hazard			

CAS#	Hazardous Components (Chemical Name)	Other US EPA or State Lists
100-51-6	Benzenemethanol {Benzyl alcohol}	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No
112-34-5	Diethylene glycol monobutyl ether {2-(2-Butoxyethoxy)ethanol {(a glycol ether)}	CAA HAP,ODC: HAP; CWA NPDES: No; TSCA: Yes - Inventory, 4 Test; CA PROP.65: No
770-35-4	Propylene glycol phenyl ether {(not 313)}	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory, 8A PAIR, 8D TERM; CA PROP.65: No
143-18-0	Oleic acid potassium salt	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No

Page: 7
Printed: 06/24/2016
Revision: 06/24/2016
Supersedes Revision: 05/09/2016

Regulatory Information

Statement:

All components of this material are listed on the TSCA Inventory or are exempt.

16. OTHER INFORMATION

Revision Date: 06/24/2016

Preparer Name: W.M. Barr EHS Dept (901)775-0100

Additional Information About No data available.

This Product:

Company Policy or

Disclaimer:

The information contained herein is presented in good faith and believed to be accurate as of the effective date shown above. This information is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. Any use of this data and information must be determined by the user to be in accordance with applicable federal, state and local laws and regulations.

Licensed to W.M. Barr and Company: MIRS MSDS, (c) A V Systems, Inc.